

Gerfix Spray Adhesive Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom

2012 Date of issue: 03/16/2015 Revision date: 01/25/2023

SECTION 1: Identification of the s	substance/mixture and of the compan	y/undertaking	
1.1. Product identifier			
Product name	: Gerfix Spray Adhesive		
Product code	: Not available		
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against		
Use of the substance/mixture	: Adhesive		
1.3. Details of the supplier of the safe	ety data sheet		
Manufacturer Spray-Lock, Inc. 5959 Shallowford Road Suite 405 Chattanooga, TN 37421 - USA T 423-305-6151 info@spraylock.com	Distributor Gerflor USA 750 Veterans Park Bolingbrook, IL 604 USA T 1-877-437-3567		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1 (800) 424-9300		
SECTION 2: Hazards identificatio	n		
2.1. Classification of the substance of	or mixture		
GHS-US classification			
Gases under pressure - Dissolved gas			
2.2. Label elements			
GHS-US labelling Hazard pictograms (GHS-US)			
	GHS04		
Signal word (GHS-US)	: Warning	if bootod	
Hazard statements (GHS-US) Precautionary statements (GHS-US)	 Contains gas under pressure; may explode Protect from sunlight. Store in a well-ventil 		
	,		
2.3. Other hazards			
No additional information available.	2)		
2.4. Unknown acute toxicity (GHS-US	5)		
SECTION 3: Composition/informa	ation on ingredients		
3.1. Substance			
Not applicable.			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification

10 - 30

Flam. Gas 1 Liquefied gas

* The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

(CAS No) 75-37-6

1,1-Difluoroethane

Gerfix Spray Adhesive Safety Data Sheet

Safety Data Sheet ccording to the Hazard Communication Standard (CF	R29 1910.1200) HazCom 2012
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	In case of contact, immediately flush skin with plenty of water. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: Not a normal route of exposure. May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3. Indication of any immediate media	cal attention and special treatment needed
	of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Powder, water spray, foam, carbon dioxide.
Jnsuitable extinguishing media	: None known.
5.2. Special hazards arising from the s	
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.
5.3. Advice for firefighters	
Protection during firefighting	: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective of	equipment and emergency procedures
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.
6.2. Methods and material for contain	ment and cleaning up
For containment	 Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up	: Scoop up material and place in a disposal container. Provide ventilation.
6.3. Reference to other sections	
See section 8 for further information on protec	tive clothing and equipment and section 13 for advice on waste disposal.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Keep away from sources of ignition No smoking. Avoid contact with skin and eyes. Avoid breathing vapour or mist. Do not swallow. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. When using do not eat, drink or smoke.
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Storage conditions	: Keep locked up and out of reach of children. Keep from freezing. Store away from direct sunlight or other heat sources. Store in dry, cool, well-ventilated area.

7.3. Specific end u	se(s)
---------------------	-------

Not available.

Gerfix Spray Adhesive

SECTION OF DE

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
1,1-Difluoroethane (75-37-6)		
ACGIH	Not applicable	
OSHA	Not applicable	

8.2. Exposure controls	
Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear suitable gloves.
Eye protection	: Safety glasses or goggles are recommended when using product.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Gas/Pressurized Liquid
Appearance	: Clear
Color	: White
Odor	: Sweet
Odor threshold	: No data available
рН	: 5.5 - 7.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: > 1 (Air = 1)
Relative density	: 1.03
Solubility	: Miscible
Partition coefficient: n-octanol/water	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

Gerfix Spray Adhesive

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

10.2. Chemical stability

Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition.

10.5. Incompatible materials

Oxidizers. Nitrates. Chlorine bleach.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

•	
SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified.
Gerfix Spray Adhesive	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	No data available
LC50 inhalation rat	No data available
1,1-Difluoroethane (75-37-6)	
LC50 inhalation mouse	977 g/m³/2h
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after skin contact: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

: Not a normal route of exposure.

Symptoms/injuries after ingestion

SECTION 12: Ecological information

12.1. Toxicity Ecology - general

: May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability	
Gerfix Spray Adhesive	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Gerfix Spray Adhesive	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available.	
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.

Gerfix Spray Adhesive

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations

: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. Pressurized container: Do not pierce or burn, even after use.

SECTION 14: Transport information	
In accordance with DOT	
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols, non-flammable
Department of Transportation (DOT) Hazard Classes	: 2.2
Hazard labels (DOT)	
Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory information	n
15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

15.2. US State regulations		
Gerfix Spray Adhesive		
State or local regulations	None	
SECTION 16: Other info	rmation	
Date of revision	: 04/28/2017	

Date of revision	:	04/28/2017
Other information	:	None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.