

# Cleaning instruction Linoleum Sports flooring with Neocare® surface treatment:

Colorette Sport Linodur Sport

The above-mentioned floor coverings are already equipped with the Neocare® surface treatment at the factory. This Neocare® surface treatment offers the following advantages:

- Protection of the floor covering over its entire service life
- Facilitation of cleaning

Note: be aware that in the past these floorings were not equipped with any surface treatment at the factory so always check the version to see if this cleaning instruction has to be applied.

## **FIRST USE CLEANING**

Remove dust and then either depending on the degree of soiling:

- Wet mopping with neutral detergent/care product or
- Wet cleaning with a single-disc machine, a red pad and neutral detergent / care product.

# **FIRST CARE**

Additional care with polymer dispersions or self-shine emulsions is not necessary.

#### **DAILY CLEANING**

Daily removal of loose dirt and dust by damp mopping. To remove adhering dirt, wet cleaning or cleaning with the automatic cleaning machine with neutral detergent or care product with the aid of a red pad is necessary.

#### INTERMEDIATE CLEANING

If ongoing maintenance cleaning no longer produces the desired result, machine cleaning can be carried out with neutral detergent/alcohol cleaner and maximum red pad.

#### **DEEP CLEANING**

Periodic intensive cleaning is generally sufficient. Never use a detergent with a pH level more than 10.

### PREVENTIVE MEASURES

- Sufficiently large entrance matting system to prevent the entry of dirt and moisture and reduce the entry
  of dirt by up to 80%. They should be at least 4-6 step lengths or approx. 5 length metres long. They must
  be cleaned regularly.
- Anti-ageing agents in certain types of rubber leave permanent brownish rubber contact discolouration. Please use light-coloured non-staining rubbers, vinyl or polyethylene.
- Coloured pigments (e.g. hair dye), rusting metal buckets and terracotta pots can also cause stains that can no longer be removed.

Page 1 of 3 May 2023



# Cleaning Instruction DLW Linoleum Sports flooring

- Only use furniture and chair castors that comply with the standard DIN EN 12529, type W, double swivel
  castors.
- In the chair castor area, depending on the stress, the use of a protective mat is recommended.
- The contact surfaces of heavy pieces of furniture, fitness equipment and heavy objects should be enlarged with pressure distribution plates if necessary. This avoids unsightly permanent marks and damage.
- The contact surfaces of chairs and furniture glides should be protected by pads suitable for Linoleum (pvc, teflon, polyethene). All protectors must be cleaned regularly and replaced if necessary. It is important that the surface under the gliders is clean so no scratches will occur on the floor covering.
- Only use suitable materials (e.g. PE film) to cover the covering, e.g. during renovation work.

#### **GENERAL NOTES**

- In general, the application of coatings changes the surface structure and thus the slip resistance.
- Hand disinfectant-resistant care products should be used in the healthcare sector.
- The use of wiping care products in maintenance cleaning allows basic cleaning intervals to be extended due to their caring effect.
- Soft soap can lead to irreversible yellowing of the floor covering surface.
- Make sure that only cleaning agents from one manufacturer are used, as these products are coordinated with each other and do not have a negative effect on each other.
- The manufacturer's recommendations must be observed.
- Due to their composition, surface disinfectants can cause colour changes in the surface of the floor covering. For more information, please contact the respective manufacturer.
- If floor coverings are not or insufficiently maintained, there will be more wear and possibly discolouration. Dirt, especially in a granular structure, increases the abrasive effect on the floor covering surface and can lead to the formation of smoothness. For this reason, DLW Linoleum sports floor coverings should be cleaned and maintained for hygienic reasons and to preserve their value. The requirements of DIN V 18032-2 and DIN EN 14904 must be observed, especially for sports floor coverings.
- If adhesive tapes are used on the floor covering, please ask the respective adhesive tape manufacturers about their compatibility. Confetti, streamers and the like can also cause discolouration of the linoleum, especially when mixed with moisture or liquids. Before use, it is advisable to carry out tests on their behaviour and perform cleaning trials.

#### **REMOVAL OF SHOE / RESIN MARKS**

 Sports shoes leave marks on floor coverings in the form of smears, which make periodic cleaning with special rubber mark remover necessary. This also counts for resin marks where a special resin mark remover need to be used. Such cleaning enables the removal of the sticky traces remaining on the surface without attacking it.

Page 2 of 3 May 2023



# Recommended cleaning products for rubber or resin marks:

MANUFACTURER	RUBBER MARK CLEANER	RESIN MARK CLEANER
Buzil, Memmingen 08331 930-6	<ul><li>IR 42</li><li>Indumaster Forte</li><li>G 559 Buz® Mark Ex</li></ul>	<ul><li>IR 42</li><li>Indumaster Forte</li><li>G 559 Buz® Mark Ex</li></ul>
Dr. Schnell Chemie München 089 350608-0	<ul> <li>Floortop</li> <li>Tempolino Ultra</li> <li>Schirocco Clean</li> <li>Clean-Star</li> <li>Puromat</li> </ul>	<ul> <li>Floortop</li> <li>Tempolino Ultra</li> <li>Schirocco Clean</li> <li>Clean-Star</li> <li>Puromat</li> </ul>
Dr. Schutz, Hessisch Oldendorf 05152 9779-0	■ Elatex	■ Handballharzentferner
Ecolab Düsseldorf 0211 9893-0	■ Neomat BMR	■ Neomat BMR
Tana Chemie GmbH Mainz 06131 964 0	<ul><li>FLA 710S</li><li>Linax extreme</li></ul>	<ul><li>FLA 710S</li><li>Linax extreme</li></ul>

# Cleaning and care products

The variety of cleaning and care products does not allow us to list available agents. A basic cleaner or care product must meet the following requirements;

- proof of suitability for linoleum floor coverings
- a test certificate according to DIN 18032-2 or EN 14904.

When applying the product, the product-specific manufacturer's conditions must be observed and if necessary consult the manufacturer. The usability and compatibility is the responsibility of the respective manufacturer.

The manufacturers and products mentioned are to be regarded as examples. Equivalent products from other manufacturers can also be used. When processing, the product-specific manufacturer's conditions must be observed and if necessary the manufacturer must be consulted. The usability and compatibility is the responsibility of the respective manufacturer

Note: With the publication of this edition, all previous editions lose their validity.

Page 3 of 3 May 2023