



Damp sweeping equipment

Flexible mop preferably fitted with disposable, antistatic and/or pre-impregnated gauze strips



Manual washing equipment

Disposable microfibre mop or gauze



Mechanical cleaning equipment

Auto scrubber, rotocleaner or single-brush machine



Mechanical cleaning disk

3M (or equivalent) colour disks

Please read carefully : It is mandatory for the end-user to undertake the Initial Clean and Seal as stated below. This will ensure full removal of any surface contaminant and enable easier, ongoing general maintenance. Failure to undertake the Initial Clean and Seal will invalidate any warranty on the installed product.

	Equipment used	Cleaning products	Cleaning methods
<p>First use</p> <p>Mechanical cleaning</p>		<p>Alkaline detergent</p> <p>Acrylic emulsion</p>	<ul style="list-style-type: none"> Stripping with single-brush machine <200 rpm + Red disk Vacuuming of residue Rinsing Application of a single protection layer (polish)
<p>Daily cleaning</p> <p>Manual cleaning</p>		<p>Neutral detergent</p>	<ul style="list-style-type: none"> Damp sweeping Manual washing or flat washing
<p>OR</p>			
<p>Mechanical cleaning</p>		<p>Neutral detergent</p>	<ul style="list-style-type: none"> Damp sweeping Mechanical washing at <200 rpm (with water recovery)
<p>Periodic cleaning (if daily manual cleaning)</p>		<p>Neutral detergent / Alkaline detergent if soiled</p>	<ul style="list-style-type: none"> Damp sweeping Mechanical washing at <200 rpm (with water recovery)
<p>Reconditioning</p>		<p>Stripper</p> <p>Acrylic emulsion</p>	<ul style="list-style-type: none"> Stripping with single-brush machine <200 rpm + Red disk Vacuuming of residue Rinsing Application of a single protection layer (polish)

These cleaning instructions have to be adapted depending on traffic and location of the area.

RECOMMENDED PRODUCTS

In the case of **manual maintenance** and to offer you the best results in terms of hygiene and appearance, **Gerflor recommends that you use neutral and alkaline detergents with high wetting power** (complete spreading and cleaning of the entire floor surface).

Here is a non-exhaustive list of products recommended by the main manufacturers:

Manufacturers / Products	Dr. SCHUTZ	ECOLAB	DEVERSEY
Neutral detergent	Active Cleaner R280	Brial Action Plus	Taski Jontec 300 Carefree Stride 1000
Alkaline detergent	Clean and Strip	Gloss Xpress Regain Regain Ultra Powerclean Imi Action Plus	Brillo Cleaner/Degreaser Carefree Stride 2000 Sprint Hard Surface cleaner Taski Jontec Forward
Protection layer	Neo PU	Isi Star Phazer Isi Star Gemstar Laser Satin Star Tuklar Medical	Carefree Satin Carefree Eternum Carefree Emulsion
Stripper	Clean and Strip	Bendurol Maxx Bendurol forte Bendurol Top Stripper	Carefree Stripper Carefree Speed Stripper

Please contact the product manufacturer for confirmation of usage and relevant data sheets.
Products offered may change from country to country.

PRECAUTIONS FOR USE



Never use abrasive disks or any procedure that risks damaging the surface treatment (abrasive products, solvents, etc.).

STAIN REMOVAL DURING WORKS

Paint mark removal

- **Do not use abrasive cleaning equipment** (e.g. Scotch Brite, scouring pads, steel wool, etc.).
- **Use the solvent for the paint if known.** If the solvent is not known, start with solvents such as nail varnish remover before trying stronger solvents such as thinners
If the stain proves hard to remove, do not persist.
- **Wipe and rinse the floor thoroughly after applying the solvent.**

On paint drips

A freeze spray will yield excellent results when paint has formed a drip on the material (freeze sprays can be bought from cleaning product manufacturers or in pharmacies).

On adhesive marks

- **Fresh acrylic adhesive marks**

Apply a water-based solution with added cleaning product, leave to act and mechanically clean and rinse the floor.

- **Dried acrylic adhesive marks**

Use nail varnish remover

- **Solvent adhesive marks**

Use nail varnish remover

TIPS AND ADVICE FOR STAIN REMOVAL

Rust

Apply an anti-rust product. Rinse thoroughly.

Food grease/paint/ballpoint pen/felt-tip pen/heavy grease (tar)

Apply a solvent such as Essence C or White Spirit. Rub with undiluted product and rinse with plenty of water.

Scuff marks/Shoe marks

Apply an alkaline detergent to shoe or scuff marks. Leave to act for 5 minutes. Rub.

Chewing-gum

Use a freeze spray to harden the chewing gum, and then remove it with a plastic spatula (freeze sprays can be bought from cleaning product manufacturers or in pharmacies).