



“my
Reference,”


RIGID	30
	LOCK

RIGID 30 LOCK

178 x 1219 mm

228 x 1492 mm

457 x 914 mm



PUR+ MATT

Easy maintenance

4D DESIGN

STRUCTURED EMBOSS & BEVEL

Ultra realistic surface

MATT SURFACE

Natural look

CRISTAL WEAR LAYER

High definition design & color

XL FORMAT

Wide variety of tiles & planks

FULL RIGID CORE TECHNOLOGY

Rigid

60°C
140°F
Max.

The best stability

Renovation ceramic
6 mm joint



LOCK SYSTEM

Standard laminate installation

100% REACH
Phthalate free
(except recycled content)

100% RECYCLABLE
35% recycled content

TVOC emissions below detection level
(TVOC < 100 micrograms/m³ after 28 days)
No formaldehyde



RIGID	30
	LOCK






RIGID

30

LOCK



457 x 914 mm



178 x 1219 mm



228 x 1492 mm




UNDERLAY
GERFLOR ACOUSTIC / 15 dB




UNDERLAY
GERFLOR SILENCE PLUS / 19 dB

[More details on gerflor.com](http://www.gerflor.com)



SUCRE WHITE - 0983

R30 format: 178 x 1219 mm



KILDA PEARL - 0019

R30 format: 228 x 1492 mm

SKIRTINGS
DESIGN MATCHING

[More details on gerflor.com](http://www.gerflor.com)



ALL COLOURS AVAILABLE





JIVE SAND - 0970

R30 format: 228 x 1492 mm



SUCRE NATURE - 0980

R30 format: 228 x 1492 mm



JIVE BLOND - 0976

R30 format: 228 x 1492 mm



KILDA GOLDEN - 0015

R30 format: 228 x 1492 mm



SUCRE NATURE



PUNO PURE



HOBART - 0002

R30 format: 178 x 1219 mm



PUERTO - 0001

R30 format: 178 x 1219 mm



CRUNCHY - 0979

R30 format: 178 x 1219 mm



PUNO BROWN - 0016

R30 format: 228 x 1492 mm



PUNO PURE - 0017

R30 format: 228 x 1492 mm



SUCRE




VIAJO - 0003

R30 format: 178 x 1219 mm



SUCRE - 0004

R30 format: 178 x 1219 mm



SUAVE LIGHT - 0978

R30 format: 178 x 1219 mm



JIVE GREY



QUITO - 0007

R30 format: 178 x 1219 mm



JIVE GREY - 0973

R30 format: 178 x 1219 mm



LOVINA



LOVINA - 0008

R30 format: 178 x 1219 mm




CARTAGO - 0010

R30 format: 178 x 1219 mm



VIAJO GREY



VIAJO GREY - 0009

R30 format: 178 x 1219 mm



SUAVE GREY - 0977

R30 format: 178 x 1219 mm




GEELONG BEIGE



KUTA GREY - 0960

R30 format: 457 x 914 mm



GEELONG CLEAR - 1047

R30 format: 457 x 914 mm




GEELONG BEIGE - 1046

R30 format: 457 x 914 mm




BELLO



BELLO - 0013


R30 format: 457 x 914 mm



TRONDHEIM - 0011

R30 format: 457 x 914 mm

RIGID 30 LOCK



* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)

RIGID 30 LOCK

DESCRIPTION

Total Thickness	EN ISO 24346 (EN 428)	mm	4		
Thickness of the wearlayer	EN ISO 24340 (EN 429)	mm	0.3		
Weight	EN ISO 23997 (EN 430)	g/m ²	7890		
Size	EN ISO 24342 (EN 427)	mm	178x1219	228x1492	457x914
Number of planks /tiles and sqm per box	-	-	7 / 1.52 m ²	5 / 1.70 m ²	5 / 2.09 m ²

CLASSIFICATION

Norm/Product Specification	-	-	EN ISO 10582		
European Classification	EN ISO 10874 (EN 685)	class	23 - 31		
Fire Rating	EN 13 501-1	class	Bfl-s1		
Slip Resistance Wet	DIN 51130	class	R10		

PERFORMANCES

Type binder content	EN ISO 10582	type	I		
Impact sound insulation	EN ISO 717-2	dB	4		
Dimensional stability (norm)	EN ISO 23999 (EN 434)	%	≤ 0.15		
Dimensional stability (average measured value)	-	%	≈0.05		
Residual Indentation	EN ISO 24343-1 (EN 433)	mm	≤ 0.10		
Castor chair test	ISO 4918 (EN 425)	-	OK		
Colour Fastness	ISO 105 - B02	degree	≥ 6		
Surface Treatment	-	-	PUR+ MATT		
Chemical Products Resistance	EN ISO 26987 (EN 423)	-	OK		

ENVIRONMENT / INDOOR AIR QUALITY

TVOC after 28 days	ISO 16000 - 6	µg/m ³	< 100		
--------------------	---------------	-------------------	-------	--	--

CE MARKING

CE	EN 14041	-			

MAR 03-30-2022 Version - Indicative documentation cost USD 9
Gerflor® has a policy of continuous product improvement, it reserves the right to change design and specifications without notice.

30 years experience
Since 1985

Manufacturer
3 LVT Factories

World Class Logistics
12 Logistics Hubs

Gerflor Design Centre
Exclusive Designs

“Serenity,,
Elodie - End User

“Time saving,,
Mika - Installer

“Unique Design,,
Pierre - Architect

“Confidence,,
Claire - Store Manager

“Reliability,,
Lucas - Distributor

That's why
Gerflor
is our
Reference

IMPORTANT: The information contained in this document is valid from 01/02/2021 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.