







CLASSIC 55 XL



QUIET UNDERFOOT



EASY MAINTENANCE








ULTRA REALISTIC



100% RECYCLABLE

RESILOOP READY The Virtuo Classic 55 XL range of glue down planks brings you the very latest colours and ultra-realistic designs in large format. These durable and waterproof planks combine low maintenance practicality with true designer elegance in any room of your home. Your family, including the four-legged members, can enjoy healthy living with Virtuo Classic 55 XL's super low VOC emissions, 0.5mm wearlayer and tough PUR surface protection. This permanent installation method guards against any shrinkage or expansion of the planks making them ideal for Australian conditions where extreme temperatures are common.

Gerflor's superior design and construction method gives you and your family peace of mind knowing that your flooring will look and perform well for years to come.







^{*} Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure or for compensation for any other loss or damage. You are also entitled to have the goods repaired if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

For more details call 1800 060 785 or visit gerflor.au

COLLECTION

DAINTREE BROWN 1010

EMPIRE
BLOND
1011

EMPIRE CLEAR 1012

EMPIRE GREY 1013

EMPIRE SAND 1015

LAND OAK GOLD 1016

LAND OAK GREY 1017

ELEMENTAL BLACKBUTT 3001

EUCALYPTUS
BLACKBUTT
3002

ASTIR SPOTTED GUM 3003 DAINTREE BROWN 1010

The quiet alternative to ceramic and timber flooring hard surfaces.



LAND OAK GREY 1017



QUIET UNDERFOOT

EUCALYPTUS **EMPIRE** BLACKBUTT 3002 CLEAR 1012 A genuine all rounder that is at home in any room, including bathrooms and kitchens.* WATERPROOF

* Please refer to QLD wet more quidelines

ELEMANTAL BLACKBUTT 3001 Advanced printing technology delivers a realism that is indistinguishable from timber flooring. ULTRA REALISTIC

EMPIRE SAND 1015

Sophisticated technology and materials drastically reduce emissions for optimal indoor air quality - idea for allergy sufferers.

23

VERY LOW VOC COUNT



EMPIRE BLOND 1011

ASTIR SPOTTED GUM 3003 The superior surface treatment makes cleaning effortless. EASY MAINTENANCE

EMPIRE GREY 1013

A super tough wearlayer to take on the challenges of the busiest household.







HEAVY DUTY DOMESTIC

VIRTUO CLASSIC 55 LVT SPECIFICATIONS	STANDARD	UNIT OF MEASURE	
THICKNESS	ISO 24346	mm	2.5
WEAR LAYER THICKNESS	ISO 24340	mm	0.55
DIMENSIONS	ISO 24342	mm	230×1500
AREA PER BOX		m²	3.11
PLANKS PER BOX		qty	9
SLIP RESISTANCE	AS 4586	class	R10
	AS 4586:2013	class	P3
FIRE RATING	AS ISO 9239-1	kW/m	29.0
		smoke% / min	126
VOLATILE ORGANIC COMPOUNDS [VOC]	ASTM D5116	mg/m3/hr (24hrs)	Extremely low





