



Shower System

Gerflor[®]

The reference for hardworking wet rooms



Mix & Match Floors & Walls, coordinate with Gerflor collections



Coloured backing for a perfect wall welding



Guaranteed hygiene and easy cleaning



Hardwearing and a watertight system



Non-slip performance for patient, residents and employees



A complete solution with drains, thresholds and profiles



Up to 30% recycled content & 100% recyclable



①

Taralay Impression, Premium, Mipolam...

②

Mural Calypso

③

A wide range of finishes



Threshold



Clean Corner System



Drain



Mural Calypso: 7025 Arty, Beige
Tarasafe Ultra: 6348 Clay



Mural Calypso: 7002 Bamboo Lotus
Tarasafe Design: 6171 Lofter Dark Grey



Mural Calypso: 7015 Tropic Skyline
Tarasafe Ultra: 7724 Calcium



Mural Calypso: 7311 Cloud Linen
Tarasafe Design: 6079 Esterel Nut New



Mural Calypso: 7013 Ginko Snow Gold
Tarasafe Design: 6079 Esterel Nut New

A wide range of combinations

Mural Calypso: 7024 Venice
Tarasafe Standard: 7767 Dove Grey

Mural Calypso



7005 BLOSSOM Snow Pearl
Matching design:
7611 UNI Snow

7000 BAMBOO Snow Pearl
Matching design:
7611 UNI Snow

7711 CLOUD Ice



7020 UNI Ice

7024 VENICE

7026 ARTY Grey

SAMPLES



MURAL CALYPSO

COMPACT ROLL



2 m - Bs-2,d0

TARASAFE STANDARD / ULTRA / DESIGN

COMPACT ROLL




2 m - R10

TARASAFE H₂O / ULTRA H₂O

COMPACT ROLL



2 m - R11



7721 MANHATTAN Mist

7309 CLOUD Lotus

7740 FABRIC Silk

7744 NORDIC Milk

7021 UNI Lotus


7025 ARTY Beige

7002 BAMBOO Lotus
Matching design:
7021 UNI Lotus


Safety floorings




DESIGN - 6083 Esterel Blossom New




STANDARD - 7773 Storm



ULTRA - 8709 Granite



ULTRA - 8717 Obsidian



ULTRA - 9127 Météorite



ULTRA H₂O Available in Tarasafe Ultra H₂O




DESIGN - 6171 Lofter Dark Grey




DESIGN - 5755 Lorca Natural New




DESIGN - 6079 Esterel Nut New




STANDARD - 7618 Edelweiss




ULTRA - 6348 Clay



ULTRA - 6088 Andalusite




STANDARD - 6085 Grizzly




STANDARD - 8102 Paprika

Mural Calypso




7027 VERONA



7010 CLOUD Haze



7017 CLOUD Pink



7611 UNI Snow



7013 GINKO Snow Gold
Matching design: 7611 UNI Snow




7016 TROPIC Terra Copper



7019 CLOUD Terra


Safety floorings



ULTRA - 8704 Pebble




H₂O - 0024 Peyto




STANDARD - 7731 Marbre




H₂O - 0032 Malawi




ULTRA H₂O / ULTRA - 7383 Diopside



STANDARD - 7386 Savana




ULTRA - 8701 Opal



STANDARD - 7767 Dove Grey



H₂O - 0033 Rhine



ULTRA - 7792 GALENA




DESIGN - 6078 Esterel Clear New



H₂O - 0025 Nile



H₂O - 0031 Eacham




DESIGN - 6094 Infinity Sand




H₂O - 0034 Zambezi




STANDARD - 7801 Noir



STANDARD - 7315 Jute



STANDARD - 6084 Badian



ULTRA - 7307 Copper



7014 GINKO Snow Green
Matching design:
7611 UNI Snow



7018 CLOUD Green



7201 CLOUD Moonlight



7022 ENVOL Snow Green
Matching design: 7611 UNI Snow



7311 CLOUD Linen




7023 ENVOL Snow Skyline
Matching design:
7611 UNI Snow




7408 CLOUD Skyline




7015 TROPIC Skyline




ULTRA - 6591 Serpentine




H2O - 0035 Bacalar



STANDARD - 6589 Leaf




ULTRA - 8592 Aventurine




ULTRA - 6593 Epidote




 Available in Tarasafe Ultra H2O



STANDARD - 6245 Atoll




STANDARD - 2430 Rain Drop




ULTRA - 2432 Larimar




H2O - 0036 Lagoa




ULTRA - 7482 Halite




 ULTRA - 8420 Azurite



ULTRA - 7724 Calcium



ULTRA - 3183 Bauxite



STANDARD - 7709 Royal Blue

Shower System

gerflor.com / follow us   



Z0014309

	MURAL CALYPSO	TARASAFE STANDARD	TARASAFE ULTRA	TARASAFE DESIGN	TARASAFE ULTRA H ₂ O	TARASAFE H ₂ O
--	---------------	-------------------	----------------	-----------------	---------------------------------	---------------------------

DESCRIPTION

Total thickness	EN ISO 24346	mm	0.92	2.00	2.00	2.00	2.00 (on grainside)	2.00
Thickness of wearlayer	EN ISO 24340	mm	0.10	0.85	0.85	0.80	1.00	0.85
Weight	EN ISO 23997	g/m ²	1610	2360	2360	2500	2400	2350
Width of sheet	EN ISO 24341	cm	200	200	200	200	200	200
Length of sheet	EN ISO 24341	ml	30	20	20	20	20	20

CLASSIFICATION

Norm / Product specification	-	-	EN 259-1	EN ISO 10582	EN ISO 10582	EN ISO 10582	EN ISO 10582	EN ISO 10582
European classification	EN ISO 10874	class	-	34 - 43	34 - 43	34 - 43	34 - 43	34 - 43
Fire rating	EN 13 501-1	class	B-s2,d0	Bfl-s1	Bfl-s1	Bfl-s1	Cfl-s1	Bfl-s1
Static electrical propensity	EN 1815	kV	-	≤ 2	≤ 2	≤ 2	≤ 2	≤ 2
Slip resistance: pendulum test (dry and wet)	EN 16165:2021 – Appendix C (BS 7976-2)	PTV	-	> 36	> 36	> 36	> 36	> 50
	AS4586 - A	class	-	P4	P4	-	P3	P5
Slip resistance: ramp test + oil – footwear	EN 16165:2021 – Appendix B (DIN 51 130)	class	-	R10	R10	R10	R11	R11
	AS4586 - D	class	-	R10	R10	-	R11	R11
Slip resistance: ramp test + water – barefoot	EN 16165:2021 – Appendix A (DIN 51097)	class	-	B	B	B	C	B
	AS4586 - C	class	-	-	-	-	C	B
Slip resistance – footwear and barefoot + water	EN 13845-annexe C	class	-	ESf-ESb	ESf-ESb	ESf-ESb	ESb	ESf-ESb
Water tightness in special wet area	EN 13553	-	-	OK	OK	On going	OK	On going
Surface roughness	-	µm	-	Rz ≥ 20	Rz ≥ 20	Rz ≥ 20	Rz ≥ 20	Rz ≥ 20
Slip resistance wet areas	Resbaladidad CTE	class	-	-	-	-	3	3

PERFORMANCE

Type Binder content	EN ISO 10582	type	-	I	I	I	I	I
Dimensional stability	EN ISO 23999	%	-	≤ 0.40	≤ 0.40	≤ 0.40	≤ 0.40	≤ 0.40
Residual indentation (exigency)	EN ISO 24343-1	mm	-	≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10
Castor chair test (type W)	ISO 4918	-	-	OK	OK	OK	OK	OK
Thermal conductivity	EN ISO 10456	W/(m.K)	-	0.25	0.25	0.25	0.25	0.25
Colour fastness	EN ISO 105 -B02	degré	≥ 6	≥ 6	≥ 6	≥ 6	≥ 6	≥ 6
Surface treatment	-	-	-	SparClean®	SparClean®	SparClean®	-	SparClean®
Chemical products resistance	EN ISO 26987	-	OK	OK	OK	OK	OK	OK
Anti-bacterial activity (MRSA) (1)	ISO 22196	-	> 99% inhibits growth*	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth


ENVIRONNEMENT / QUALITÉ DE L'AIR

TVOC after 28 days	ISO 16000-6	micrograms/m ³	< 100	< 100	< 100	< 100	< 100	< 100
Certification	-	-	-	Floorscore®	Floorscore®	Floorscore®	Floorscore®	Floorscore®

CE MARKING

CE	EN 14041	-						
		-						
	EN 15102	OK	-		-		-	

*Anti-bacterial activity (E. coli - S. aureus - MRSA) (1)

 Rubber leaves indelible stains on vinyl floorings: do not use mats with rubber backing and replace tubular furniture feet with those made of PVC or polyamide. Place mats of sufficient length at entrances to reduce outside sources of dirt.

IMPORTANT: The information contained in this document is valid from 01/06/2024 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.

We care / We act Our Commitments for a Sustainable future



CARBON FOOTPRINT*
-20 % kg CO₂ equivalent/m² between 2020 and 2025



BIOSOURCED CONTENT**
10 % by 2025



RECYCLED CONTENT
30 % by 2025



ADHESIVE FREE***
35 % by 2025



ANNUAL VOLUME RECYCLED
60 000 t by 2025

* Scopes 1 and 2 defined in the GHG protocol ** % of activity with biosourced materials *** % of activity - adhesive free solution