

texline



Luxury Vinyl Collection

- ✓ Warm acoustic insulation
- ✓ Comfort underfoot
- ✓ Easy to clean and hygienic



Easy to install textile backed flooring
that is ideal for anywhere in the home

Gerflor[®]

texline

Beautiful & versatile flooring

Texline is a tough vinyl flooring from Gerflor with a unique patented textile backing system that gives higher warmth and comfort underfoot, and is safer, quieter and more hygienic than standard vinyl flooring. Texline is available in a range of stunning modern designs and colourways that can be used in any room in your home.



Slip resistant surface

15 YEARS

Durable 0.35mm wearlayer that keeps the floor looking great



Easy to clean **pureclean** PU surface that doesn't trap dirt



Quick and easy to fit over most existing smooth floor coverings



Warm and comfortable underfoot



Tough interlayer that resists stretching and warping



Sound insulating for a quieter home
16 dB



Looselay*
*no glue up to 35m²



Waterproof for extra hygiene



Direct laying on tiles*
*under certain conditions



Absorbs unevenness of existing floor

pureclean

Unique to Gerflor products, **pureclean** is a tough, easy to clean, slip resistant PU finish that is carefully selected to enhance the beauty and character of the floor.

100% recyclable, looselay technology reducing the need for adhesive and minimal sub-floor preparation.

1m² =
texline




Recycled technical fibre backing made up of plastic bottles.




1740 Timber Naturel

texline

Designed for every home



2308 Azay Light Grey
Repeat: 1000 × 1000mm



2307 Azay Gold
Repeat: 1000 × 1000mm



2309 Azay Beige
Repeat: 1000 × 1000mm



1981 Provence Black & White
Repeat: 1000 × 1000mm



1955 Provence Creme
Repeat: 1000 × 1000mm



2017 Sherwood Grey
Repeat: 1333 × 1000mm



2014 Sherwood Dark
Repeat: 1333 × 1000mm



2013 Sherwood Blond
Repeat: 1333 × 1000mm



1949 Fjord Light Grey
Repeat: 1333 × 1000mm



2399 Fjord Cream
Repeat: 1333 × 1000mm



2011 Fjord Black
Repeat: 1333 × 1000mm



1749 Timber Light
Repeat: 1000 × 1000mm



1740 Timber Naturel
Repeat: 1000 × 1000mm



2400 Patina Charcoal
Repeat: All-Over



2401 Patina Cream
Repeat: All-Over

Product Technology




GFT is the new backing system from Gerflor, made from more than 95% recycled plastic bottles. It has many benefits including higher warmth and comfort underfoot, sound deadening qualities and it can be laid over most existing floors to even out small imperfections in the sub-floor - Unroll...it's done!

1m² =




Recycled technical fibre backing made up of plastic bottles.


Product Composition



Easy to install



Existing subfloor Concrete



Existing subfloor Tiles

GFT fibres smooths out unevenness of the existing floor. No adhesive, No subfloor preparation, Economical, Quick and Easy!



Technical Characteristics

Description			
Total thickness	EN ISO 24346	mm	2.90
Wearlayer thickness	EN ISO 24340	mm	0.35
Weight / Mass per unit area	EN ISO 23997	g/sqm	2000
Width of sheet	EN ISO 24341	m	2 / 3 / 4
Length of sheet	EN ISO 24341	ml	± 25
Classification			
European classification	EN ISO 10874	class	23/32
Impact Sound Insulation	EN ISO 717-2	dB	16
Fire rating	EN 13 501-1	class	Cfl-s1
Slip resistance: wet	DIN 51 130	class	R10
Walk noise	NFS 31 074	class	A
Performances			
Wear group	EN 660-2	group	T
Surface treatment	-	-	Pureclean
Colour fastness	EN 20 105-B02	degree	> 6
Guarantee residential use	-	year	15
CE Marking			
CE	EN 14041		