

HPD UNIQUE IDENTIFIER: (available when published)

CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: Homogeneous resilient vinyl flooring made with a non hazardous plasticiser. It features the Evercare technology, providing thick even surface treatment sealing the product and providing a no wax very easy maintenance reducing the use of water and harsh chemicals during lifetime of the product. hard wearing, it has a long life expectancy of over 20 years and is 100% recyclable at the end of life

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input type="radio"/> Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Completed	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided :</b>	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE

MIPOLAM PLANET [ POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2) LT-P1 | RES LIMESTONE (LIMESTONE) BM-3dg DIISONONYL HEXAHYDROPHthalate BM-2 TITANIUM DIOXIDE LT-1 | CAN | END ZINC BENZOATE LT-P1 | MUL TRICYCLODECANEDIMETHANOL (1,5)-DIACRYLATE NoGS FERRIC OXIDE, YELLOW LT-UNK CARBON BLACK (PRIMARY CASRN IS 1333-86-4) BM-1 | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, LT-1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

We certify we have evaluated and disclosed all known components up to 99.9% of our product composition

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RfCI FloorScore  
VOC emissions: Emission Classification of Building Materials - M1  
LCA: Environmental Product Declaration (EPD) by UL  
raw materials: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2022-03-29

PUBLISHED DATE: Not published

EXPIRY DATE: Not published

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### MIPOLAM PLANET

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: no residuals or impurities are expected to be present in the product at or above the reporting threshold

OTHER PRODUCT NOTES:

#### POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2)

ID: 93050-82-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-03-29 8:43:53

%: 42.0000 - 46.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

RES

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

#### LIMESTONE (LIMESTONE)

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-03-29 8:43:54

%: 33.0000 - 37.0000

GreenScreen: BM-3dg

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

#### DIISONONYL HEXAHYDROPHTHALATE

ID: 474919-59-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-03-29 8:43:54

%: 15.0000 - 19.0000

GreenScreen: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This plasticiser (DINCH) is REACH compliant

## TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-03-29 8:43:55**

#: **2.0000 - 4.0000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The substance is encapsulated in floor covering and not present in airborne or unbound particles of respirable size.

## ZINC BENZOATE

ID: 553-72-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-03-29 8:43:56**

#: **0.3000 - 0.7000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: GERFLOR uses a mix of Calcium and Zinc. No heavy metals

**TRICYCLODECANEDIMETHANOL (1,5)-DIACRYLATE**

ID: 100781-28-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-03-29 8:43:55**

%: **0.4000 - 0.6000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: the EVERCARE surface treatment is based on double UV and laser crosslinked polyurethane

**FERRIC OXIDE, YELLOW**

ID: 51274-00-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-03-29 8:43:57**

%: **0.0000 - 0.2000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**CARBON BLACK (PRIMARY CASRN IS 1333-86-4)**

ID: 1584692-77-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-03-29 8:43:56**

%: **0.0000 - 0.1000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The substance is encapsulated in floor covering and not present in airborne or unbound particles of respirable size.

Draft

Draft

Draft

Draft

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

### RFCI FloorScore

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: GERFLOR Troisdorf  
(GERMANY)  
CERTIFICATE URL:  
[https://www.scsglobalservices.com/certified-green-products-guide?pd\\_pid=44613](https://www.scsglobalservices.com/certified-green-products-guide?pd_pid=44613)

ISSUE DATE: 2021-02-01 00:00:00  
EXPIRY DATE: 2022-04-30 00:00:00

CERTIFIER OR LAB: SCS GLOBAL SERVICES

CERTIFICATION AND COMPLIANCE NOTES:

### VOC EMISSIONS

### Emission Classification of Building Materials - M1

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: GERFLOR Troisdorf  
(GERMANY)  
CERTIFICATE URL: <https://cer.rts.fi/rakennusmateriaalien-paastoluokitus-m1/etsi-m1-luokituksia/>

ISSUE DATE: 2021-03-19 00:00:00  
EXPIRY DATE: 2023-11-04 00:00:00

CERTIFIER OR LAB: RAKENNUSTIETO

CERTIFICATION AND COMPLIANCE NOTES:

### LCA

### Environmental Product Declaration (EPD) by UL

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: GERFLOR Troisdorf  
(GERMANY)  
CERTIFICATE URL: <https://www.gerflorusa.com/media/17-usa-website/7-technical-doc/gerflor-product-epd-mipolam.pdf>

ISSUE DATE: 2022-01-01 00:00:00  
EXPIRY DATE: 2027-01-01 00:00:00

CERTIFIER OR LAB: UL

CERTIFICATION AND COMPLIANCE NOTES:

### RAW MATERIALS

### REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

CERTIFYING PARTY: Self-declared  
APPLICABLE FACILITIES: GERFLOR Troisdorf  
(GERMANY)  
CERTIFICATE URL:

ISSUE DATE: 2021-04-18 00:00:00  
EXPIRY DATE:

CERTIFIER OR LAB: GERFLOR

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### GERFIX TPS+

MANUFACTURER (OR GENERIC):

HPD URL: No HPD Available

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Standard recommended adhesive used for installation.

**GERFIX SPRAY**

MANUFACTURER (OR GENERIC):

---

HPD URL: No HPD Available

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Spray adhesive for installation.

**GERFIX 125 HIGH MOISTURE ADHESIVE**

MANUFACTURER (OR GENERIC):

---

HPD URL: No HPD Available

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Use for high moisture installations up to 100% RH.

 **Section 5: General Notes**

Draft

Draft

Draft

**MANUFACTURER INFORMATION**

MANUFACTURER: **Gerflor USA**  
 ADDRESS: **595 Supreme Drive**  
**Bensenville, IL 60106**  
 COUNTRY: **United States**

WEBSITE: **https://www.gerflorusa.com**  
 CONTACT NAME: **Philippe Magro**  
 TITLE: **Technical Product Manager**  
 PHONE: **+33 4 75 50 67 50**  
 EMAIL: **philippe.magro@gerflor.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*



