





CAREZONE

Carezone is an Aquabac carpet range that offers a modern design in a choice of neutral and muted colourways that can be used to create comforting and calming spaces. Featuring a cut pile design for bedrooms and living areas, and a textured loop pile for circulation and corridors, Carezone features an anti-microbial treatment providing an ideal solution for care homes, care facilities and residential living.

CONTENTS

Colourways	1
Communial Area	2-3
Floor Plan	4-5
Bedroom & Bathroom	6-7
Floor Plan	8-9




The Dementia Services Development Centre at the University of Stirling have undertaken a review of the Carezone range and have rated its design in relation to dementia design principles and its usability within a dementia-inclusive environment.

All Carezone colours are rated as Class 1a and are suitable for use in dementia applications. For an environment to be considered 'dementiainclusive' careful consideration must be given to the specification of adjacent finishes with a maximum contrast of 10 points LRV between adjacent floor surfaces.

CUT PILE



Warm Sandstone Cut Pile 07121 LRV 23.00




Cool Slate Cut Pile 07122 LRV 20.00



Soft Topaz Cut Pile



Warm Stone Cut Pile 07101 LRV 22.40



Silver Sky Cut Pile 07113 LRV 11.06




Forest Fern Cut Pile



Soft Taupe Cut Pile 07102 LRV 18.70





Velvet Damson Cut Pile



Natural Hessian Cut Pile 07109 LRV 16.02



Autumn Leaves Cut Pile 07106 LRV 10.45



Rich Granite Cut Pile 07104 LRV 5.32

TEXTURED LOOP



Warm Stone Textured Loop



Rich Granite Textured Loop 07118 LRV 4.75



Soft Taupe Textured Loop



Natural Truffle Textured Loop



Silver Sky Textured Loop 07119 LRV 14.20




Scan the QR code to watch our loop pile installation video.



2





6



8

CAREZONE

gerflor.co.uk gerflor.ie gradus.com Uniclass Pr_35_57_11_91 CI/SfB

	CAREZONE	
	TEXTURED LOOP	CUT PILE
SPECIFICATION		
Product Format	Impervious	Impervious
Product Dimensions	2 metres or 4 metres	2 metres or 4 metres
Product Construction	Tufted Loop Pile	Tufted Cut Pile
Surface Yarn	100% Polypropylene	100% Polypropylene
Total Carpet Weight	2850 g/m²	3125 g/m²
Tufted Pile Weight	960 g/m²	1050 g/m²
Gauge	1/10" (39.4 per dm)	1/10" (39.4 per dm)
Stitches	54 per dm	44 per dm
Primary Backing	Woven Polypropylene	Woven Polypropylene
Secondary Backing	Aquabac Impervious	Aquabac Impervious
Total Carpet Thickness	8.5mm	10mm
PERFORMANCE SPECIFICATION		
Classification BS EN 1307	Class 33	Class 32
Luxury Rating BS EN 1307	LC3	LC3
Static Electricity ISO 6356	<2kV	<2kV
Impact Sound Insulation EN ISO 10140-3	31dB	31dB
Anti Microbial Treatment	BI-OME [®] Medical	BI-OME® Medical
FLAMMABILITY		
BS EN 13501-1	Class Efl	Class Efl
WARRANTIES		
Wear Warranty	10 Year	10 Year
Anti-static Warranty	10 Year	10 Year
ADHESIVES		

Story CERTIFICATION CERTIFICATION SYSTEMS

The information contained in this document is valid from 1/9/2024 and is subject to change at any time without notice.

For recommended adhesives contact Technical Services.

Contact us to order free samples

UNITED KINGDOM:

Gerflor Flooring UK Ltd Park Green, Macclesfield, Cheshire, SK11 7LZ Tel: 01625 428922 E-mail: contractuk@gerflor.com Visit: www.gerflor.co.uk

IRELAND:

Gerflor Ltd Ballybay Road, Co. Monaghan, A81 YD83, Republic of Ireland Tel: +353 (0) 42 966 1431 E-mail: gerflorirl@gerflor.com Visit: www.gerflor.ie



BI-OME®